

SNF (UK) Limited, Solutions House, Ripley Close, Normanton WF6 1TB, United Kingdom
 phone: 01924-311000, e-mail: sds@snf.fr

FLOPAM™ FO 4700 SH

<i>Form:</i>	Granular solid
<i>Color:</i>	White
<i>Ionic character:</i>	Cationic
<i>Charge density:</i>	Very high
<i>Molecular Weight:</i>	High
<i>Particle size:</i>	> 2 mm : 2 % < 0.15 mm : 6 %
<i>Approx. bulk density:</i>	0.68
<i>Brookfield viscosity† (cps):</i>	@ 5.0 g/l : 550 @ 2.5 g/l : 230 @ 1.0 g/l : 100
<i>pH:</i>	2.5 - 4.5 @ 5 g/l
<i>Recommended working concentration (g/l):</i>	4
<i>Maximum use concentration (g/l):</i>	10
<i>Dissolution time (minutes) in DI water @ 5 g/l, 25°C:</i>	60
<i>Stability of DI solution (days):</i>	1
<i>Storage temperature (°C):</i>	0 - 35
<i>Shelf life (months)*:</i>	24

† Average values given for determination of preparation and dosing equipment for which a viscosity 10 times lower can be used.

* When stored inside a building at a stable temperature between 5°C and 30°C.

Packing sizes

<i>Multiwall bags</i>	25 kg
<i>Big Bags</i>	750 kg
<i>Other dimensions</i>	On request