

SNF (UK) Limited, Solutions House, Ripley Close, Normanton WF6 1TB, United Kingdom  
 phone: 01924-311000, e-mail: sds@snf.fr

## FLOPAM™ FO 4800 SH

Form:	Granular solid
Color:	White
Ionic character:	Cationic
Charge density:	Very high
Molecular Weight:	High
Particle size:	> 2 mm : <= 2 % < 0.15 mm : <= 6 %
Approx. bulk density:	0.68
Brookfield viscosity† (cps):	@ 5.0 g/L : 670 @ 2.5 g/L : 330 @ 1.0 g/L : 160
pH:	2.5 - 4.5 @ 5 g/l
Recommended working concentration (g/l):	4
Maximum use concentration (g/l):	10
Dissolution time (minutes) in DI water @ 5 g/l, 25°C:	60
Stability of DI solution (days):	1
Storage temperature (°C):	0 - 35
Shelf life (months)*:	24

† Average values given for determination of preparation and dosing equipment for which a viscosity 10 times lower can be used.

\* When stored inside a building at a stable temperature between 5°C and 30°C.

### **Packing sizes**

Multiwall bags	25 kg
Big Bags	750 kg
Other dimensions	On request